

FICUS PLANT NAMED 'BLACK DIAMOND'

Latin name of the genus and species of the plant claimed:

Ficus benjamina

Variety denomination:

5 Black Diamond

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct cultivar of *Ficus benjamina*.

The varietal denomination of the new cultivar is 'Black Diamond'. The new variety was discovered as a mutation in a controlled planting of *Ficus benjamina* 'Midnight' in a
10 greenhouse in s'Gravenzande, The Netherlands in June, 2001.

SUMMARY OF THE INVENTION

The new variety is a mutation of the *Ficus* variety 'Midnight' (U.S. Plant Patent No. 9,856), and was selected by the inventor, Jan van Geest. The mutation was selected among plants of 'Midnight' which were grown in a controlled environment in a
15 glasshouse in s'Gravenzande, The Netherlands in June, 2001. The new variety was first asexually propagated by vegetative cutting in August 2001, in s'Gravenzande, The Netherlands. Asexual reproduction through succeeding generations has established that the combination of characteristics as herein disclosed for the new cultivar are firmly fixed and retained through successive generations of asexual reproduction.

20 In comparison to the parent plant, 'Midnight', the leaf color of 'Black Diamond' is variegated. The leaves of 'Black Diamond' are very dark green (near 137 A, new foliage, upper side), with an amorphous, irregularly shaped and irregularly

patterned spot of yellow- green (RHS 144A) located along the midrib of the leaf. The leaves of 'Midnight' by comparison are 137B (new foliage, upper side). In addition, 'Black Diamond' varies from the parent plant in leaf and petiole size. The leaves of 'Black Diamond' are narrower, 3.5 cm, as compared to 4 cm leaf width of 'Midnight',
5 and shorter, 9 cm, as compared to 11 cm long leaves of 'Midnight'. The petioles of 'Black Diamond' are shorter, approximately 5 mm in length, as compared to 18 mm long petioles of 'Midnight'.

BRIEF DESCRIPTION OF THE INVENTION

The following traits have been repeatedly observed and are determined to be
10 basic characteristics of 'Black Diamond' which in combination distinguish this *Ficus* as a new and distinct cultivar from parent cultivar 'Midnight' and other *Ficus* cultivars:

1. Variegated colored leaves, having a dark green colored leaf with a yellow-green spot;
2. irregularly shaped leaves; and
- 15 3. irregular patterned spots of yellow-green located along the midrib of the leaf
4. heavily branching, upright growth habit.

BRIEF DESCRIPTION OF THE DRAWINGS

The accompanying photographic drawings show a specimen of the new cultivar
20 as true to color as is reasonably possible. The first photographic drawing is a side view of 'Black Diamond' in its entirety showing the growth habit. The second photographic

Color: New foliage: upper side green near 137 A, with the spot along the midrib of leaf being closest to yellow-green 144A; underside 138A with the spot along the midrib closest to 139C. Old foliage: upper side green 131 with the spot along the midrib near yellow-green 144A; underside near 137C with the spot along the midrib near 138D

Shape Ovate with acuminate leaf tip slightly coarsely sinuate and glabrous

Texture: Smooth, leathery, glossy, underside smooth, matte

Veination: Single mid-rib vein running from petiole to leaf tip, convex on underside, light green near 145B

Margin: Entire, slightly undulate

Serration: None

Stipules: Leaves are glabrous

Petiole: Closest to 144A; about 5 mm long

Disease Resistance: No particular claim observation made

Rachis: None

Wood

New Shoots: Color near 144A; smooth

Old Wood: Color near 197B; no flowers or fruit observed to date

Internode Spacing: About 30 mm

Preferred Growing Conditions: 20 degrees C. to 32 degrees C

Reproductive Organs: None observed

Temperature range: To 2 degrees C